JUN 2 6 2003

Sumn

Summary of Safety and Effectiveness

April 1, 2003

Subject:

510(k) Summary of Safety and Effectiveness Information for the

Datex-Ohmeda Tec 7 (enflurane) Anesthesia Vaporizer

Proprietary:

Datex-Ohmeda Tec 7 (enflurane) Anesthesia Vaporizer

Common:

Vaporizer, Anesthesia

Classification:

Anesthesiology, 73CAD, 21CFR868.5880, Class II

The 510(k) summary of safety and effectiveness information is being submitted in accordance with the requirements of SMDA 1990 and 1992.

The Datex-Ohmeda Tec 7 (enflurane) Anesthesia Vaporizer is substantially equivalent to the currently marketed Datex-Ohmeda Tec 7 (isoflurane, halothane, sevoflurane) and Datex-Ohmeda Tec 5 Anesthesia Vaporizers (isoflurane, halothane, sevoflurane, enflurane), which were the subject of cleared 510(k) premarket notifications K012924, K942091 and K892057.

The Datex-Ohmeda Tec 7 vaporizer is designed for the metered delivery of specific inhalation anesthetic agents for use in continuous flow techniques of inhalation anesthesia. It is available in halothane, isoflurane, sevoflurane and enflurane variants. Each vaporizer is agent specific and is clearly labeled with the name of the anesthetic agent that it is designed for. The vaporizer is temperature, flow and pressure compensated so that its output remains relatively constant despite cooling due to evaporation, variations in inlet flow and fluctuating pressures. The vaporizer is designed to be used on Selectatec series mounted manifolds.

The Datex-Ohmeda Tec 7 (enflurane) Anesthesia Vaporizer was designed to comply with the applicable portions of the following voluntary standards;

- 1. EN 740 Anesthetic Work Stations
- 2. ISO 5358 Anesthetic Gas Machines
- 3. ASTM F1161 Specifications for Anesthetic Gas Machines

The Datex-Ohmeda Tec 7 (enflurane) Anesthesia Vaporizer and the currently marketed Datex-Ohmeda Tec 7 (isoflurane, halothane, sevoflurane) and Datex-Ohmeda Tec 5 Anesthesia Vaporizers (isoflurane, halothane, sevoflurane, enflurane), substantially equivalent in uses, design concepts, technologies and materials. The Datex-Ohmeda Tec 7 (enflurane) Anesthesia Vaporizers have been validated through testing that, in part, support the compliance of the current and predicate device to the above mentioned standards.

Contact: William E. Exner

Vice President, Regulatory and Quality Affairs

Device Name

Device Name: Proprietary Datex-Ohmeda Tec 7 (enflurane)

Anesthesia Vaporizer

Device Name: Common

Anesthesia Vaporizer

Device Name: Classification

Vaporizer, Anesthesia, Non-heated

Device Classification and Panel

Device Classification:

73CAD – 21CFR868.5880 – Class II

Device Panel:

Anesthesiology

Predicate Devices

Datex-Ohmeda Tec 5 Anesthesia Vaporizer

510(k)s K942091 and K892057

(isoflurane, halothane, sevoflurane, enflurane)

Datex-Ohmeda Tec 7 Anesthesia Vaporizer

510(k) K012924

(isoflurane, halothane, sevoflurane)

Performance Standards Information

To the best knowledge of Datex-Ohmeda, performance standards have not been

promulgated by the FDA for this device.

Device Manufacturing Facility Information

Datex-Ohmeda, Inc.

Anesthesia, Drug Delivery and Ventilation Business Unit

Ohmeda Drive

P.O. Box 7550

Madison, WI 53707

USA

Telephone

608-221-1551

Facsimile

608-223-2496

Establishment Registration and Owner/Operator Numbers

Datex-Ohmeda Establishment Registration Number:

2112667

Datex-Ohmeda Owner/Operator Number:

8030853



Food and Drug Administration 9200 Corporate Boulevard Rockville MD 20850

JUN 2 6 2003

Mr. William E. Exner Vice President, Regulatory and Quality Affairs Datex-Ohmeda, Incorporated P.O. Box 7550 Madison, WI 53707

Re: K031027

Datex-Ohmeda Tec 7 Anesthesia Vaporizer (Enflurane)

Regulation Number: 868.5880

Regulation Name: Vaporizer, Anesthesia, Non-heated

Regulatory Class: Class II (two)

Product Code: 73 CAD Dated: May 27, 2003 Received: May 28, 2003

Dear Mr. Exner:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Page 2 - Mr. William E. Exner

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (301) 594-4646. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address http://www.fda.gov/cdrh/dsma/dsmamain.html.

Sincerely yours,

Susan Runner, DDS, MA

Interim Director

Division of Anesthesiology, General Hospital,
Infection Control and Dental Devices
Office of Device Evaluation
Center for Devices and

Radiological Health

Enclosure

510(k) Number (if known):	K031027	
Device Name: Datex-Ohn	neda Tec 7 (enflurane) Anestl	nesia Vaporizer
Indications For Use:		
halothane, isoflurane, sevoflurane clearly labeled with the name of the	nuous flow techniques of inhate and enflurane variants. Each he anesthetic agent that it is dompensated so that its output raisons in inlet flow and fluctuate	lation anesthesia. It is available in a vaporizer is agent specific and is esigned for. The vaporizer is remains relatively constant despite
(PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON ANOTHER PAGE IF NEEDED)		
	(Division Sign-Off) Division of Anesthesiology, (Infection Control, Dental Dent	General Hospital, vices 31 072 7
Prescription Use (Per 21CFR801.109)	OR	Over-The-Counter Use(Optional Format 1-2-96)